THE FIGO POSITION ON UNSAFE ABORTION

Dr. Anibal Faundes

ECSA Regional Workshop on Prevention of Unsafe Abortion Addis Ababa, 9th-10th May 2013

 Primary Prevention: Less unintended pregnancies and abortions

 Primary Prevention: Less unintended pregnancies and abortions

Secondary Prevention: Non preventable abortions should be safe


 Tertiary Prevention: Unsafe abortions do not complicate and kill the woman

 Tertiary Prevention: Unsafe abortions do not complicate and kill the woman

 Quaternary Prevention: Postabortion counseling and services to prevent repeated abortions

Secondary Prevention:

 Non preventable abortions should be safe



ETHICAL ISSUES IN OBSTETRICS
AND GYNECOLOGY
by the FIGO Committee
for the Study of Ethical Aspects of
Human Reproduction and Women's Health

OCTOBER 2009



Abortion for non-medical reasons Providing the process of properly informed consent has been carried out, a woman's right to autonomy, combined with the need to prevent unsafe abortion, justifies the provision of safe abortion.

Most people, including physicians, prefer to avoid termination of pregnancy and it is with regret that they may judge it to be the best course, given a woman's circumstances.

Some doctors feel that abortion is not permissible.

Respect for their autonomy means that no doctor ...should be expected to advise or perform an abortion against his or her personal conviction. Such a doctor, however, has an obligation to refer the woman to a colleague who is not in principle opposed to termination

Some doctors feel that abortion is not permissible.

Respect for their autonomy means that no doctor ...should be expected to advise or perform an abortion against his or her personal conviction.

Such a doctor, however, has an obligation to refer the woman to a colleague who is not in principle opposed to termination of pregnancy

In summary, the Committee recommended that after appropriate counselling, a woman has the right to have access to medical or surgical induced abortion, and that the health care service had an obligation to provide such services as safely as possible.

Why FIGO favors greater access to safe abortion services

Without access, to safe abortion, women with unwanted pregnancies will recur to unsafe abortion


Why FIGO favors greater access to safe abortion services

Unsafe Abortions cause suffering and deaths

Maternal Deaths

Unsafe Abortion is one of the main causes of maternal mortality in the countries where abortion is ilegal

Unsafe abortion-related maternal deaths per 100,000 live births and annual percent change from 1990 to 2008, major regions




Nota: Japón, Australia y Nueva Zelanda han sido excluidos de las estimaciones regionales, pero se incluyen en el total de las regiones más desarrolladas

Fuente: Shah I, Ahman E. Unsafe abortion mortality: new estimates and trends. IJGO (accepted for publication)

Why FIGO and WHO favors greater access to safe abortion services

- Unsafe Abortions cause suffering and deaths
- Criminalization of abortion only increases mortality,

The effect of criminalization of abortion in Rumania in november of 1965, over abortion related mortality and global maternal mortality




Fuente: Stephenson et al., 1992; WHO, 1997

Why FIGO and WHO favors greater access to safe abortion services

- Unsafe Abortions cause suffering and deaths
- Criminalization of abortion only increases mortality, without decreasing the incidence of induced abortions

Abortion rate (per one thousand women 15-45 years) are greater in countries with restrictive abortion laws

Abortion rate by sub-region (per 1000 women 15-44) according to prevalence of liberal abortion laws.



Restrictive Liberal

Fuente: Sedgh et al., 2012

Why FIGO and WHO favors greater access to safe abortion services

- Unsafe Abortions cause suffering and deaths
- Criminalization of abortion only increases mortality, without decreasing the incidence of induced abortions

Decriminalization dramatically reduces mortality

Abortion related deaths before and after legalization in South Africa

Abortion related deaths in public hospitals per year

- 1994 (before) 425
- **1998-2001 36**

Diff. before/after: -91%


Fuente: Jewkes & Rees, 2005

Why FIGO and WHO favors greater access to safe abortion services

- Unsafe Abortions cause suffering and deaths
- Criminalization of abortion only increases mortality, without decreasing the incidence of induced abortions
- Decriminalization dramatically reduces mortality
- Decriminalization does not increase abortion rate


Evolution of abortion rate after legalization in France






Fuente: The Alan Guttmatcher Institute. Sharing responsibility: Women, Society and Abortion Worldwide. New York: The Alan Guttmacher Institute, 1999.

Evolution of abortion rate after legalization in France and Italy



Fuente: The Alan Guttmatcher Institute. Sharing responsibility: Women, Society and Abortion Worldwide. New York: The Alan Guttmacher Institute, 1999.

Proportion pregnancies ended in induced abortion after legalization in Turkey



Porcentaje de embarazos que terminan en aborto voluntario

The reduction in the abortion rates are explained because legal, institutional terminations of pregnancy provides with an opportunity for Family Planning counseling and provision of effective contraception

Women with induced abortion have the highest risk of inducing another abortion if pregnant again

Women with induced abortion have the highest risk of inducing another abortion if pregnant again

As about half of the abortions are repeated, if they are reduced, the abortion rate falls

Women with induced abortion have the highest risk of inducing another abortion if pregnant again

As about half of the abortions are repeated, if they are reduced, the abortion rate falls

That is why post-abortion contraception is so important


Why FIGO favors greater access to safe abortion services

- Unsafe Abortions cause suffering and deaths
- Criminalization of abortion only increases mortality, without decreasing the incidence of induced abortions
- Decriminalization dramatically reduces mortality
- Decriminalization does not increase abortion rate
- The people is not in favor of penalizing women who abort


PEOPLE'S OPINION ABOUT PUNISHING WOMEN WHO ABORT

The results depend on how you formulate the question


Percentage of public servants in favor of more liberal abortion law, asked in abstract (n=1.660)




Percentage of public servants in favor of NOT punishing any woman who aborts (n=1.660)



Percentage of public servants in favor of NOT punishing a woman they know who aborts (n=1.660)




Percentage of religious and non-religious public servants in favor of NOT punishing any woman who aborts,




- Unsafe Abortions cause suffering and deaths
- Criminalization of abortion only increases mortality, without decreasing the incidence of induced abortions
- Decriminalization dramatically reduces mortality
- Decriminalization does not increase abortion rate
- The people is not in favor of penalizing women who abort
- Physicians are afraid of the stigma, but accept the abortion for themselves or those close to them

Percentage of gynecologist-obstetricians who agree that abortion should not be a crime in certain circumstances. Brazil



^{*} Circunstância apresentada somente em 2005

BEHAVIOR OF GYNECO-OBSTETRICIANS CONFRONTED WITH A REQUEST OF LEGAL ABORTION AFTER RAPE, AT A PUBLIC HOSPITAL. BRAZIL, 2005 (n = 2.788)




SURVEY AMONG BRAZILIAN GYNECOLOGISTS-OBSTETRICIANS

Did you help a client or family member to have an abortion:

- ✓ Recommended a colleague known to do safe abortions
- ✓ Taught to use misoprostol
- **✓** Did the abortion

IN CASE OF UNWANTED PREGNANCY, PERCENTAGE OF GYNECO-OBSTETRICIANS WHO HELPED A CLIENT OR FAMILY MEMBER TO HAVE AN ABORTION



SURVEY AMONG BRAZILIAN GYNECOLOGISTS-OBSTETRICIANS


✓ At anytime you or your partner ha and absolutely unwanted pregnancy?

✓ Did you or your partner had an abortion?

IN CASE OF UNWANTED PREGNANCY, PERCENTAGE OF GYNECO-OBSTETRICIANS WHO HELPED A CLIENT OR FAMILY MEMBER, HERSELF OR HIS PARTNER TO HAVE AN ABORTION



IN CASE OF UNWANTED PREGNANCY, PERCENTAGE OF GYNECO-OBSTETRICIANS WHO HELPED A CLIENT OR FAMILY MEMBER, HERSELF OR HIS PARTNER TO HAVE AN ABORTION, ACCORDING TO RELEVANCE GIVEN TO RELIGIÓN



1. To make clear that it is not promoting abortion and there will not be less abortion if women are punished

- 1. To make clear that it is not promoting abortion and there will not be less abortion if women are punished
- 2. Recognize that the fetus exists and has moral value

- 1. To make clear that it is not promoting abortion and there will not be less abortion if women are punished
- 2. Recognize that the fetus exists and has moral value

3. To establish clear limits of gestational age

4. Establish the conditions when abortion is permitted

- 4. Establish the conditions when abortion is permitted
- 5. Promote, at the same time, the interventions with proven capacity to reduce abortions

Unsafe Abortions cause suffering and deaths

- Unsafe Abortions cause suffering and deaths
- Criminalization of abortion only increases mortality, without decreasing the incidence of induced abortions


- Unsafe Abortions cause suffering and deaths
- Criminalization of abortion only increases mortality, without decreasing the incidence of induced abortions

Decriminalization dramatically reduces mortality

- Unsafe Abortions cause suffering and deaths
- Criminalization of abortion only increases mortality, without decreasing the incidence of induced abortions
- Decriminalization dramatically reduces mortality
- Decriminalization does not increase abortion rate

- Unsafe Abortions cause suffering and deaths
- Criminalization of abortion only increases mortality, without decreasing the incidence of induced abortions
- Decriminalization dramatically reduces mortality
- Decriminalization does not increase abortion rate
- The people is not in favor of penalizing women who abort

- Unsafe Abortions cause suffering and deaths
- Criminalization of abortion only increases mortality, without decreasing the incidence of induced abortions
- Decriminalization dramatically reduces mortality
- Decriminalization does not increase abortion rate
- The people is not in favor of penalizing women who abort
- Physicians are afraid of the stigma, but accept the abortion for themselves or those close to them



THANK YOU VERY MUCH